



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Martin O'Malley
Governor

Anthony G. Brown
Lieutenant Governor

Shari T. Wilson
Secretary

Robert M. Summers, Ph.D.
Deputy Secretary

4/12/2010

Helen MacMinn
ANALYTICAL LABORATORY SERVICES INC.
34 Dogwood Lane
Middletown, PA 17057

**RE: CURRENT MARYLAND WATER QUALITY CERTIFICATE
ANALYTICAL LABORATORY SERVICES INC. 128**

Dear Ms. MacMinn:

Enclosed please find your certificate of reciprocity for drinking water laboratory certification in the State of Maryland. The reciprocity is valid for a period of one (1) year. The certificate and fees are renewable annually.

If you have any changes in methods, supervisory personnel, major equipment, ownership, location, or your home state certification status, during the year, you are required to advise this office within 30 days.

If you have any questions, please do not hesitate to call me at 410-537-3712.

Sincerely,

Linda Ames
Laboratory Certification Officer
Water Supply Program

Enclosure (certificate)



**DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM**

Certifies That

**ANALYTICAL LABORATORY SERVICES, INC.
34 Dogwood Lane, Middletown, PA 17057**

*Having duly met the requirements of the
Regulations Governing Laboratory Certification
And Standards of Performance In Accordance With
The Annotated Code of Maryland,
is hereby approved as a*

State Certified Water Quality Laboratory

*To perform the analyses indicated on the Annual Certified Parameter List,
which must accompany this certificate.*

Certification # 128

Date Issued April 7, 2010

Expiration Date March 31, 2011
(Not Transferable)


Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Martin O'Malley
Governor

Shari T. Wilson
Secretary

Anthony G. Brown
Lieutenant Governor

Robert M. Summers, Ph.D.
Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Analytical Laboratory Services, Inc.

Anna Milliken

34 Dogwood Lane

Certificate # 128

Middletown, PA 17057

EPA ID # PA00102

ANALYTE	METHOD	STATUS
1,1,1-Trichloroethane	EPA 502.2	Certified
1,1,1-Trichloroethane	EPA 524.2	Certified
1,1,2-Trichloroethane	EPA 502.2	Certified
1,1,2-Trichloroethane	EPA 524.2	Certified
1,1-Dichloroethylene	EPA 502.2	Certified
1,1-Dichloroethylene	EPA 524.2	Certified
1,2,4-Trichlorobenzene	EPA 502.2	Certified
1,2,4-Trichlorobenzene	EPA 524.2	Certified
1,2-Dichlorobenzene	EPA 502.2	Certified
1,2-Dichlorobenzene	EPA 524.2	Certified
1,2-Dichloroethane	EPA 502.2	Certified
1,2-Dichloroethane	EPA 524.2	Certified
1,2-Dichloropropane	EPA 502.2	Certified
1,2-Dichloropropane	EPA 524.2	Certified
1,4-Dichlorobenzene	EPA 502.2	Certified
1,4-Dichlorobenzene	EPA 524.2	Certified
2,4,5-TP (Silvex)	EPA 515.3	Certified
2,4-D	EPA 515.3	Certified
Alachlor	EPA 507	Certified
Alachlor	EPA 525.2	Certified
Aldicarb	EPA 531.1	Certified
Aldicarb Sulfone	EPA 531.1	Certified
Aldicarb Sulfoxide	EPA 531.1	Certified
Antimony	EPA 200.8	Certified





MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Martin O'Malley
 Governor

Shari T. Wilson
 Secretary

Anthony G. Brown
 Lieutenant Governor

Robert M. Summers, Ph.D.
 Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Analytical Laboratory Services, Inc.
 34 Dogwood Lane
 Middletown, PA 17057

Anna Milliken
 Certificate # 128
 EPA ID # PA00102

ANALYTE	METHOD	STATUS
Arsenic	EPA 200.8	Certified
Atrazine	EPA 507	Certified
Atrazine	EPA 525.2	Certified
Barium	EPA 200.7	Certified
Barium	EPA 200.8	Certified
Benzene	EPA 502.2	Certified
Benzene	EPA 524.2	Certified
Benzo(a)pyrene	EPA 525.2	Certified
Beryllium	EPA 200.7	Certified
Beryllium	EPA 200.8	Certified
Bromodichloromethane	EPA 524.2	Certified
Bromoform	EPA 524.2	Certified
Cadmium	EPA 200.7	Certified
Cadmium	EPA 200.8	Certified
Carbofuran	EPA 531.1	Certified
Carbon Tetrachloride	EPA 502.2	Certified
Carbon Tetrachloride	EPA 524.2	Certified
Chlordane	EPA 505	Certified
Chlorobenzene	EPA 502.2	Certified
Chlorobenzene	EPA 524.2	Certified
Chlorodibromomethane	EPA 524.2	Certified
Chloroform	EPA 524.2	Certified
Chromium	EPA 200.7	Certified
Chromium	EPA 200.8	Certified



MARYLAND DEPARTMENT OF THE ENVIRONMENT
 1800 Washington Boulevard • Baltimore MD 21230
 410-537-3000 • 1-800-633-6101

Martin O'Malley
 Governor

Shari T. Wilson
 Secretary

Anthony G. Brown
 Lieutenant Governor

Robert M. Summers, Ph.D.
 Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Analytical Laboratory Services, Inc.
 34 Dogwood Lane
 Middletown, PA 17057

Anna Milliken
 Certificate # 128
 EPA ID # PA00102

ANALYTE	METHOD	STATUS
cis-1,2-Dichloroethene	EPA 502.2	Certified
cis-1,2-Dichloroethene	EPA 524.2	Certified
Copper	EPA 200.7	Certified
Copper	EPA 200.8	Certified
Cyanide	EPA 335.4	Certified
Dalapon	EPA 515.3	Certified
Di(2-ethylhexyl)adipate	EPA 525.2	Certified
Di(2-ethylhexyl)phthalate	EPA 525.2	Certified
Dibromoacetic Acid	EPA 552.2	Certified
Dibromochloropropane (DBCP)	EPA 504.1	Certified
Dichloroacetic Acid	EPA 552.2	Certified
Dichloromethane	EPA 502.2	Certified
Dichloromethane	EPA 524.2	Certified
Dinoseb	EPA 515.3	Certified
Diquat	EPA 549.2	Certified
E. coli	SM 9223	Certified
E. coli (enumeration)	SM 9223	Certified
Endothall	EPA 548.1	Certified
Endrin	EPA 505	Certified
Endrin	EPA 525.2	Certified
Ethylbenzene	EPA 502.2	Certified
Ethylbenzene	EPA 524.2	Certified
Ethylene Dibromide (EDB)	EPA 504.1	Certified
Fluoride	EPA 300.0	Certified





MARYLAND DEPARTMENT OF THE ENVIRONMENT
 1800 Washington Boulevard • Baltimore MD 21230
 410-537-3000 • 1-800-633-6101

Martin O'Malley
 Governor

Shari T. Wilson
 Secretary

Anthony G. Brown
 Lieutenant Governor

Robert M. Summers, Ph.D.
 Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Analytical Laboratory Services, Inc.
 34 Dogwood Lane
 Middletown, PA 17057

Anna Milliken
 Certificate # 128
 EPA ID # PA00102

ANALYTE	METHOD	STATUS
Fluoride	SM 4500 F - C	Certified
Glyphosate	EPA 547	Certified
Heptachlor	EPA 505	Certified
Heptachlor	EPA 525.2	Certified
Heptachlor Epoxide	EPA 505	Certified
Heptachlor Epoxide	EPA 525.2	Certified
Heterotrophic Plate Count	SM9215B	Certified
Hexachlorobenzene	EPA 505	Certified
Hexachlorobenzene	EPA 525.2	Certified
Hexachlorocyclopentadiene	EPA 505	Certified
Hexachlorocyclopentadiene	EPA 525.2	Certified
Lead	EPA 200.8	Certified
Lindane	EPA 505	Certified
Lindane	EPA 525.2	Certified
Mercury	EPA 200.8	Certified
Mercury	EPA 245.1	Certified
Methoxychlor	EPA 505	Certified
Methoxychlor	EPA 525.2	Certified
Monobromoacetic Acid	EPA 552.2	Certified
Monochloroacetic Acid	EPA 552.2	Certified
Nitrate	EPA 300.0	Certified
Nitrate	EPA 353.2	Certified
Nitrite	EPA 300.0	Certified
Nitrite	SM 4500 NO ₂ - B	Certified





MARYLAND DEPARTMENT OF THE ENVIRONMENT
1800 Washington Boulevard • Baltimore MD 21230
410-537-3000 • 1-800-633-6101

Martin O'Malley
Governor

Shari T. Wilson
Secretary

Anthony G. Brown
Lieutenant Governor

Robert M. Summers, Ph.D.
Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Analytical Laboratory Services, Inc.
34 Dogwood Lane
Middletown, PA 17057

Anna Milliken
Certificate # 128
EPA ID # PA00102

ANALYTE	METHOD	STATUS
Oxamyl (Vydate)	EPA 531.1	Certified
PCBs	EPA 508	Certified
PCBs (as Decachlorobiphenyl)	EPA 508 A	Certified
Pentachlorophenol	EPA 515.3	Certified
Picloram	EPA 515.3	Certified
Selenium	EPA 200.8	Certified
Simazine	EPA 507	Certified
Simazine	EPA 525.2	Certified
Styrene	EPA 502.2	Certified
Styrene	EPA 524.2	Certified
Tetrachloroethylene	EPA 502.2	Certified
Tetrachloroethylene	EPA 524.2	Certified
Thallium	EPA 200.8	Certified
Toluene	EPA 502.2	Certified
Toluene	EPA 524.2	Certified
Total Coliforms	SM 9223	Certified
Total Trihalomethanes	EPA 524.2	Certified
Toxaphene	EPA 505	Certified
trans-1,2-Dichloroethene	EPA 502.2	Certified
trans-1,2-Dichloroethene	EPA 524.2	Certified
Trichloroacetic Acid	EPA 552.2	Certified
Trichloroethylene	EPA 502.2	Certified
Trichloroethylene	EPA 524.2	Certified
Vinyl Chloride	EPA 502.2	Certified



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Martin O'Malley
Governor

Shari T. Wilson
Secretary

Anthony G. Brown
Lieutenant Governor

Robert M. Summers, Ph.D.
Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Analytical Laboratory Services, Inc.

34 Dogwood Lane

Middletown, PA 17057

Anna Milliken

Certificate # 128

EPA ID # PA00102

ANALYTE	METHOD	STATUS
Vinyl Chloride	EPA 524.2	Certified
(total) Xylenes	EPA 502.2	Certified
(total) Xylenes	EPA 524.2	Certified